

## MATERIAL SAFETY DATA SHEET DIRECTIVE 91/155/EEC

# 1. SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

- 1.1 Chemical Nature, Gas Atomized Metal Powder used in metal injection molding for Bondable Lingual Buttons.
- 1.2 Company Identification:

G&H Wire Company

P.O. Box 248

Greenwood, Indiana 46142 Telephone: 317-346-6655 Facsimile: 317-346-6663

1.3 Emergency Contact: 317-346-6655

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

- 2.1 Iron Balance
  2.2 Chromium 22 30%
  2.3 Molybdenum 4 8%
- 2.4 Cobalt 60 -70%
- 2.5 Nickel .05% Maximum Trace Element
- 2.6 Silicon 0.1 2% 2.7 Manganese 0.0 – 0.5%
- 2.8 Carbon Trace

## 3. HAZARDS IDENTIFICATION

3.1 Hazard Symbols: – Xn Harmful

Risk phrases: -R40

3.2 Potential Health Effects

- A. Possible routes of entry (a) inhalation
- B. Effects of overexposure: The product is in powder form and may include particles that can be inhaled into the lungs.

### 4. FIRST-AID MEASURES

4.1 Inhalation: Any effects of over exposure will be long term and normal first-aid actions

will not be appropriate.

- 4.2 Skin Contact: Brush off with a soft brush and wash with soap and water.
- 4.3 Eye Contact: Flush with flowing water and seek medical attention.
- 4.4 Ingestion: Any effects of over exposure will be long term and normal first-aid actions

will not be appropriate.

#### 5. FIRE-FIGHTING MEASURES

Treat as for the cause of the fire.

#### ACCIDENTAL RELEASE MEASURES 6.

- 6.1 Spilled product will create a dust hazard if not handled correctly.
- Wear suitable respirator protection and collect spillage by vacuum cleaning with 6.2 equipment designed for industrial dusts.
- Do not sweep up. 6.3

## HANDLING AND STORAGE

7.1 Handling: Insure handling systems prevent the creating of dusts so far as practical. If exposure standards may be exceeded (dust is evident by sight or as deposits around the working area) suitable extraction equipment with

filtration must be provided.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Occupational Exposure Standard 0.1 mg/m3 (TWA 8hours).
- 8.2 Health surveillance is necessary for workers who come into contact with this product.
- 8.3 Unless handling and process systems are totally sealed, it is recommended that suitable respiratory protection is worn at all times when handling this product. Where it is necessary to make contact with the product, such as when cleaning process equipment, self contained breathing may be necessary. Wherever possible, use cleaning equipment which will avoid dust such as industrial vacuum cleaners with self sealing bags for disposal.

## PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance: Fine powder with a metallic luster.

#### STABILITY AND REACTIVITY 10.

- 10.1 Thermal Decomposition: None
- 10.2 Conditions to Avoid: None
- 10.3 Materials to Avoid: Strong Acids
- Hazardous Decomposition Products: None 10.4
- 10.3 Hazardous Polymerization: Will not occur

#### TOXICOLOGICAL INFORMATION 11.

Cough, shortness of breath. X Respiration: Possible long term effects, 11.1 Respiration:

pneumonitis with fever.

### 12. ECOLOGICAL INFORMATION

Therefore, it should not be construed as guaranteeing specific properties.

Revision Date: November 29, 2006

16.2