

Reliance Orthodontic Products, Inc. Safety Data Sheet

Perfect A Smile<sup>®</sup> Pontic Paint

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Revision: 11/28/2018: Version: 4

SECTION 1: Identification		
1.1. Identification		
Product form	: Mixture	
Product name	: Perfect A Smile Pontic Paint	
1.2. Recommended u	use and restrictions on use	
Use of the substance/mixtur	re : For RX only	
1.3. Supplier		

#### Manufacturer

Reliance Orthodontic Products Inc. 1540 West Thorndale Ave. Itasca, IL 60143 USA 630-773-4009, during normal business hours www.RelianceOrthodontics.com

#### 1.4. Emergency telephone number

Emergency number

: CHEMTREC - 24-Hour Hazmat Emergency Communications Center Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted

#### SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

#### **GHS-US** classification

Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Acute toxicity (dermal) Category 4	H312	Harmful in contact with skin
Acute toxicity (inhalation:vapour) Category 3	H331	Toxic if inhaled
Serious eye damage/eye irritation Category 1	H318	Causes serious eye damage
Skin sensitization, Category	H317	May cause an allergic skin reaction
Reproductive toxicity Category 2	H361	Suspected of damaging fertility or the unborn child (Inhalation)
Hazardous to the aquatic environment - Chronic Hazard Category 2	H411	Toxic to aquatic life with long lasting effects

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)

Hazard statements (GHS-US)	<ul> <li>H302+H312 - Harmful if swallowed or in contact with skin</li> <li>H317 - May cause an allergic skin reaction</li> <li>H318 - Causes serious eye damage</li> <li>H331 - Toxic if inhaled</li> <li>H361 - Suspected of damaging fertility or the unborn child (Inhalation)</li> <li>H411 - Toxic to aquatic life with long lasting effects</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P201 - Obtain special instructions before use.</li> <li>P202 - Do not handle until all safety precautions have been read and understood.</li> <li>P261 - Avoid breathing vapors</li> <li>P264 - Wash hands thoroughly after handling</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves, eye protection, face protection</li> </ul>
	EN (English LIS)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P302+P352 - If on skin: Wash with plent P304+P340 - If inhaled: Remove person P305+P351+P338 - If in eyes: Rinse cat lenses, if present and easy to do. Contin P308+P313 - If exposed or concerned: C P310 - Immediately call a POISON CEN P311 - Call a POISON CENTER, a doct P321 - Specific treatment (see First aid n P322 - Specific treatment (see First aid n P322 - Specific treatment (see Wash ski areas with soap and water before leaving P330 - Rinse mouth. P333+P313 - If skin irritation or rash occ P362+P364 - Take off contaminated clot P363 - Wash contaminated clothing befor P391 - Collect spillage. P403+P233 - Store in a well-ventilated p P405 - Store locked up. P501 - Dispose in a safe manner in acco	to fresh air and keep comfortable for breathing utiously with water for several minutes. Remove contact use rinsing Get medical advice/attention. TER, a doctor or measures on this label) in with soap and water, Wash hands and other exposed g work on this label) surs: Get medical advice/attention. thing and wash it before reuse. ore reuse.	
3.	<ol><li>Other hazards which do not result in classification</li></ol>		

2.3. Other hazards which do not result in classification

#### No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

#### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

- Not applicable
- 3.2. **Mixtures**

Name	Product identifier	%	GHS-US classification
Tricyclodecane Dimethanol Diacrylate	(CAS-No.) 42594-17-2	45 - 60	Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
N,N-Dimethylacrylamide	(CAS-No.) 2680-03-7	15- 30	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Eye Dam. 1, H318
Fused Silica	(CAS-No.) 60675-86-0	< 3	Skin Irrit. 2, H315
Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide	(CAS-No.) 162881-26-7	< 1	Skin Sens. 1, H317 Aquatic Chronic 4, H413

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a doctor.	
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.	
First-aid measures after ingestion	: Rinse mouth. Call a poison center/doctor/physician if you feel unwell.	
4.2. Most important symptoms and effect	s (acute and delayed)	
Symptoms/effects after skin contact	: May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Serious damage to eyes.	
4.3. Immediate medical attention and special treatment, if necessary		
Treat symptomatically.		
SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishi	ng media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Specific hazards arising from the chemical		
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

E.O Over the two for the sector of the for the for the for			
5.3. Special protective equipment and precautions for fire-fighters			
Protection during firefighting :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
<b>SECTION 6: Accidental release measu</b>	res		
6.1. Personal precautions, protective equip	oment and emergency procedures		
6.1.1. For non-emergency personnel			
	Avoid breathing mist, vapors. Avoid contact with skin, eyes and clothing.		
Emergency procedures .	Avoid bleathing mist, vapois. Avoid contact with skin, eyes and clothing.		
6.1.2. For emergency responders			
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment	and cleaning up		
	Collect spillage.		
	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public		
	waters.		
Other information :	Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling :	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing mist, vapors. Do not get in eyes, on skin, or on clothing.		
Hygiene measures :	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	any incompatibilities		
Storage conditions :	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.		
SECTION 8: Exposure controls/persor	al protection		
8.1. Control parameters			
N,N-Dimethylacrylamide (2680-03-7)			
Not applicable			
Tricyclodecane Dimethanol Diacrylate (42594-	17.2)		
Not applicable	11-2)		
	Duide (400004-00-7)		
Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine ( Not applicable	Jxide (162661-26-7)		
Fused Silica (60675-86-0)			
Not applicable			
8.2. Appropriate engineering controls			
Appropriate engineering controls :	Ensure good ventilation of the work station.		
Environmental exposure controls :	Avoid release to the environment.		
8.3. Individual protection measures/Personal protective equipment			
Hand protection:			
Protective gloves			
Eye protection:			

Safety glasses

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

Wear respiratory protection.

SECTION 9: Physical and chemical	properties	
9.1. Information on basic physical and		
Physical state	: Liquid	
Appearance	: Viscous liquid	
Color	: Yellow / Beige	
Odor	: Acrylic	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
No additional information available		
<b>SECTION 10: Stability and reactivit</b>	y .	
10.1. Reactivity		
The product is non-reactive under normal cond	litions of use, storage and transport.	
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal conditions of use.		
10.4. Conditions to avoid		
None under recommended storage and handling conditions (see section 7).		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
Under normal conditions of storage and use, hazardous decomposition products should not be produced.		
SECTION 11: Toxicological information	ation	
11.1. Information on toxicological effect		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation:vapour: Toxic if inhaled.	
Pontic Paint		
ATE US (oral)	947.137 mg/kg body weight	
ATE US (dermal)	1321.586 mg/kg body weight	
ATE US (vapors)	2.952 mg/l/4h	
N,N-Dimethylacrylamide (2680-03-7)		
LD50 oral rat	215 - 464 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value)	
LC50 inhalation rat (mg/l)	0.67 mg/l (4 h, Rat)	
ATE US (oral)	215 mg/kg body weight	
ATE US (dermal)	300 mg/kg body weight	
ATE US (vapors)	0.67 mg/l/4h	
ATE US (dust, mist)	0.67 mg/l/4h	
Phenyl Bis(2,4,6-trimethylbenzoyl)ph	osphine Oxide (162881-26-7)	
LD50 oral rat	> 2000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value)	
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value)	
Fused Silica (60675-86-0)		
LD50 oral rat	N/A	
LD50 dermal rat	N/A	
LD50 dermal rabbit	N/A	
LC50 inhalation rat (ppm)	N/A	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Respiratory or skin sensitization Germ cell mutagenicity	: May cause an allergic skin reaction. : Not classified	

Fused Silica (60675-86-0)	
IARC group	4 - Probably not carcinogenic to humans
Reproductive toxicity	: Suspected of damaging fertility or the unborn child (Inhalation).
Specific target organ toxicity – single exposure	: Not classified

Fused Silica (60675-86-0)	
LOAEL (oral,rat)	N/A mg/kg body weight
LOAEL (dermal,rat/rabbit)	N/A mg/kg body weight
LOAEC (inhalation,rat,gas)	N/A ppmV/4h
LOAEC (inhalation,rat,vapour)	N/A mg/l/4h
LOAEC (inhalation,rat,dust/mist/fume)	N/A mg/l/4h
Specific target organ toxicity – repeated	: Not classified

exposure

Fused Silica (60675-86-0)	
LOAEL (oral,rat,90 days)	N/A mg/kg bodyweight/day
LOAEL (dermal,rat/rabbit,90 days)	N/A mg/kg bodyweight/day
LOAEC (inhalation,rat,gas,90 days)	N/A ppmV/6h/day
LOAEC (inhalation,rat,vapour,90 days)	N/A mg/l/6h/day
LOAEC (inhalation,rat,dust/mist/fume,90 days)	N/A mg/l/6h/day
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
2.1. Toxicity	
Ecology - general	: Toxic to aquatic life with long lasting effects.
N,N-Dimethylacrylamide (2680-03-7)	
LC50 fish 1	> 120 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	> 120 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
ErC50 (algae)	> 400 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value)
Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine	Oxide (162881-26-7)
LC50 fish 1	> 90 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Semi-static system, Experimental value)
EC50 Daphnia 1	> 1175 µg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Experimental value)
ErC50 (algae)	>= 260 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Experimental value)

#### 12.2. Persistence and degradability

N,N-Dimethylacrylamide (2680-03-7)		
Persistence and degradability	Not readily biodegradable in water.	
Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide (162881-26-7)		
Persistence and degradability	Not readily biodegradable in water.	

#### 12.3. Bioaccumulative potential

N,N-Dimethylacrylamide (2680-03-7)		
Log Pow	-0.3 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 23 °C)	
Bioaccumulative potential	Not bioaccumulative.	
Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide (162881-26-7)		
BCF fish 1	< 5 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Cyprinus carpio, Experimental value)	
Log Pow	5.8 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

#### 12.4. Mobility in soil

N,N-Dimethylacrylamide (2680-03-7)	
Log Koc	< 1.25 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Highly mobile in soil.
Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide (162881-26-7)	
Surface tension	70.7 - 71.4 mN/m (20 °C, 0.1 g/l)
Ecology - soil	Adsorption to soil is possible.

#### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1.	Disposal methods		
Waste tre	eatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Class (DOT)
Dangerous for the environment
Marine pollutant

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

# : Yes : Yes

Other information

: No supplementary information available.

#### **Transportation of Dangerous Goods**

#### Transport by sea

Marine pollutant



#### Air transport

#### **SECTION 15: Regulatory information**

15.1. US Federal regulations

#### N,N-Dimethylacrylamide (2680-03-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

CANADA No additional information available

**EU-Regulations** No additional information available

National regulations No additional information available

#### 15.3. US State regulations

No additional information available

### **SECTION 16: Other information**

Revision date

:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H331	Toxic if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

#### SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product